

CERTIFICATE OF COMPLIANCE

Certificate Number E95219-20221124
Report Reference E95219-20220930
Issue Date 2022-NOVEMBER-24

Issued to: PASS & SEYMOUR INC
50 Boyd Ave
Syracuse NY 13209

This certificate confirms that representative samples of DIMMERS, GENERAL-USE SWITCH
(See Addendum for Additional Information)

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 1472, Solid-State Dimming Controls
Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information.

This *Certificate of Compliance* does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number E95219-20221124
Report Reference E95219-20220930
Issue Date 2022-NOVEMBER-24

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Dimmers, Model 1 followed by any number or letter, followed by 8 or 9, followed by -4 or -7, followed by 5, followed by 1 to 4 incl., may be followed by 3; Model 1 followed by A to Z incl. or 0 to 9 incl., followed by 7-43 or 7-45, followed by 1, 2 or 3; Models 1*0-57*, 1*3-57*, 1*6-57*, 1*8-57*, 1*9-57*, 3*3-23*, 3*3-57*, 3*6-57*, ***56907***, ***56951***, ***56960***.

Models ***56912***, ***56972***, ***97673***, DCL453P, DCFL453P, DLED453P.

Fluorescent dimmers, Models ADFM-8A, ADFM-16A, ADFM277-10A, ADFE-16A, ADFE277-10A, CDFB5, CDFB8, CDFB10, CDFB16, CDFB53P, CDFB83P, CDFB103P, CDFB163P, CDFB7277, CDFB10277, CDFB73P277, CDFB103P277, DFB8P, PDFM-8A, SDFB8P, CD3FB16, CD3FB10277, CD3FB163P, CD3FB103P277.

8A, 120Vac Cat.No. TDFB83P, TSDFB83P.

Incandescent dimmers, Models 3*3-75**, 3*3-45**, 3*6-45**, 3*8-45**, 3*9-45**, 3*3-21*, 3*6-21*, where * may be 0 to 9 incl. or A to Z incl., and ** may be 0 to 5; Models ***91500***, ***91503***, ***95100***, ***95181***, ***95600***, ***95681***; Cat. Nos. T600, T600L, T603, T603L, T1000, T1000L, T1003, T1003L; Cat. Nos. DS600, DS600L, DS1000, DS1000L, SS600, SS600L, SS603, SS603L, SS1000, SS1000L, SS1003, SS1003L.

700W, 120Vac, Cat. Nos. TD703P, TSD703P; 1100W, 120Vac, Cat. Nos. TD1103P, TSD1103P, TDS1103P.

700W, 120V, 4.5 A, Cat. No. TDCL453P.

700W, 120V, 2.5 A, Cat. No. TSDCL453P.


700W, 120V, 2.5 A, Cat. No. TSDCL303P.

Cat. Nos. ADWR703H 3-way, 700W, 120Vac; ADWR1103H 3-way, 1100W, 120Vac.

Cat. Nos. ADPD703H 3-way, 700W, 120Vac; ADPD1103H 3-way, 1100W, 120Vac.

Cat. No. ADPD453L 3-way, 600W incandescent and 450W CFL/LED.

Incandescent and electronic low voltage dimmers, Model DR703P 3 way, 120V, 700W; Model DR1103P 3 way, 120V, 1100W.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number E95219-20221124
Report Reference E95219-20220930
Issue Date 2022-NOVEMBER-24


Incandescent low voltage dimmers, Cat. Nos. TLV600, TLV600L, TLV603, TLV603L, TLV1000, TLV1000L, TLV1003, TLV1003L;
Cat.Nos. DSLV600, DSLV600L, DSLV1000, DSLV1000L, SSLV600, SSLV600L, SSLV603, SSLV603L, SSLV1000, SSLV1000L, SSLV1003, SSLV1003L.

Magnetic low voltage dimmers, Cat. Nos. LSLV600, SLSLV600, LSLV600P, SLSLV600P, LSLV603P, SLSLV603P, DRLV703P, DRLV1103P, SDMLV600, SDMLV603, WSLV600, WSLV603P, SDMLV700, SDMLV703, WSLV700, WSLV703P.
700VA, 120Vac, Cat. Nos. ADMLV-703, CDLV700, CDLV703P; 1100VA, 120Vac, Cat.Nos. CDLV1100, CDLV1103P; 1600VA,120Vac,CatNos CDLV1600, CDLV1603P.
700VA, 120Vac, Cat. Nos. DLV703P, PDMLV-703, SDLV703P; 1100VA, 120Vac, Cat. Nos. DLV1103P, PDMLV-1103, SDLV1103P.
700VA, 5.8A, 120Vac, Cat. No. TDLV703P, TSDLV703P; 1100VA, 9.2A, 120Vac, Cat. No. TDLV1103P, TSDLV1103P.

Only for the control of permanently installed incandescent fixtures, 300 w, 120 v, ac, Cat. Nos. 9*2-411**, -412**, 413**; 600 w, 120 v, ac, Cat. Nos. 1*3-21*, 1*3-22*, 1*3-23*, 1*3-45+, 1*3-73+, 1*3-73+-3, 1*3-75+, 1*3-75+-3, 1*3-137, 1*3-138, 1*3-411, 1*3-413, 1*3-431, 1*3-441, 1*3-711, 1*3-711-3, 1*3-731, 1*3-731-3, 1*3-736, 1*3-736-3, 1*3-741, 1*3-741-3, 1*3-751, 1*3-751-3, ***56986**, ***90601**, ***90601L**, ***90603**, ***90610**, ***90611**, ***90613**, ***90621**, ***90680**, ***90681**, ***90683**, ***91581**, ***91680**, ***91681**, ***91683**, Cat. Nos. 1*6-21*, 1*6-22*, 1*6-45+, 1*6-75+, 1*6-75+-3C, ***91080**, ***91081**, ***91083**, ***91101**, ***91180**, ***91181**, ***91183**; 1500 w, 120 v, ac. Cat. Nos. 1*8-21*, 1*8-22*, 1*8-45+, 1*8-75+-3, ***91580**, ***91581**, ***91583**; 2000 w, 120 v, ac. Cat. No. 1*9-21*, 1*9-22*, 1*9-45+, ***92080**, ***92081**.
Cat. No. TM8LOCATOR.

Only for the control of permanently installed incandescent fixtures, 600 w, 120 v, ac, Cat. Nos. for Rotary dial type fixtures 1*3-41+**, 1*3-43+**, 1*3-71+**, 1*3-71+-3**, 1*3-73+**, 1*3-73+-3**, 1*3-436R.

Only for the control of permanently installed incandescent fixtures, Cat. No. 1*A-45*.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number E95219-20221124
Report Reference E95219-20220930
Issue Date 2022-NOVEMBER-24

Only for the control of permanently installed incandescent fixtures, 600W, 120 Vac, Cat. Nos. LS600, SD600, SLS600, LS600L, LS600P, SLS600P, LS600PL, LS603P, SD603, SLS603P, R600, R600L, R600P, R600PL, R603P, R603PL, WS600, WS603P; 1000 W, 120 Vac, Cat. Nos. LS1000, SD1000, SD1003, SLS1000, LS1000P, SLS1000P, LS1003P, SLS1003P, R1000, R1000L, R1000P, R1000PL, R1003P, R1003PL, WS1000, WS1003P; 1100 W, 120 Vac, Cat. Nos. WS1100, WS1103P.

Only for the control of permanently installed incandescent fixtures, 700W, 120 Vac, Cat. Nos. CD700, CD703P; 1100W, 120Vac, Cat. Nos. AD-1103, CD1100, CD1103P; 1600W, 120Vac, Cat Nos. ADMLV-1603, CD1600, CD1603P; 2000W, 120Vac, Cat Nos. AD-2003, CD2000, CD2003P.

Only for the control of permanently installed incandescent fixtures, 700W, 120 Vac, Cat. Nos. D703P, SD703P, PD-703; 1100W, 120Vac, Cat. Nos. D1103P, SD1103P, PD-1103.
300 w, 120 v, ac, Cat. Nos. LSDD300, SD2-300.

Only for the control of permanently installed incandescent fixtures, 700W, 120 Vac, Cat Nos. SD700, SD703, WS700, WS703P.


Incandescent, electronics low voltage, magnetic low voltage, electronic ballast, LED and CFL dimmers, Models ADTP703TU, ADTH703TU.

LED and electronic ballast dimmers, Models ADTP4FBL3P, ADTH4FBL3P.
Model D703PU.

Incandescent, magnetic low voltage, electronic ballast dimmers, Cat. Nos. ADTP700MMU, ADWR700MMU, ADTH700MMU, ADTP700RMU, ADTH700RMU.

Incandescent dimmers, Cat. Nos. ADTP600MMH, ADTP600RMH, ADWR600MMH, ADTH600RMH, LC2102, WTRL60, WTRL51, HKRL60.

Dimmer remotes, Cat. Nos. ADTPMRU, ADWRMRU, ADTHMRU, ADTPRR, ADTHRR, LC2013.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number E95219-20221124
Report Reference E95219-20220930
Issue Date 2022-NOVEMBER-24

Incandescent, magnetic low voltage, electronic ballast, CFL, LED dimmers, Cat. Nos. ADTP700MMTU, ADWR700MMTU, ADTH700MMTU, ADTP700RMTU, ADWR700RMTU, ADTH700RMTU, LC2101, WTRL50, HKRL50.

Incandescent dimmers, Cat. Nos. H703P, HD-703, RH703P, H1103P, HD-1103, RH1103P.

Magnetic low voltage dimmers, Cat. Nos. HLV703P, HDMLV-703, RHLV703P, HLV1103P, HDMLV-1103, RHLV1103P.

Electronic ballast dimmers, Cat. Nos. HFB83P, HDFM-8A, RHFB83P.

Incandescent, CFL/LED dimmers, Cat. Nos. HCL453P, HDCL-453, RHCL453P.

Incandescent, CFL dimmers, Cat. Nos. HCFL453P, HDCFL-453, RHCL453P.

Incandescent, LED dimmers, Cat. Nos. HLED453P, HDLED-453.

Incandescent, Magnetic low voltage, electronic ballast, LED & CFL dimmers, Cat. Nos. H703PTU, HDA-703, RH703PTU.

Preset slide, 3-way, 450W, LED & CFL, Cat. No. RHL743P.


Preset slide, 3-way, Incandescent, 700W, Cat. No. RHL743P.

Preset slide, 3-way, Incandescent 300W, CFL/LED 2.1A, Cat. No. HRL373P.

Incandescent and Magnetic low voltage Dimmers, Cat. Nos. ADTP703H, ADTP1103H.

Incandescent and CFL/LED dimmers, Cat. Nos. LSCL450, LSCL453P, WSCL450, WSCL453P. Cat. No. TSDSSL7A.

Incandescent, CFL/LED, and magnetic low voltage dimmer and remote, Cat. Nos. HCL453PMM and HMR.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number E95219-20221124
Report Reference E95219-20220930
Issue Date 2022-NOVEMBER-24

Electronic ballast & LED dimmers, Cat. Nos. CD4FBL3P, CD4FBL. Cat. No. H4FBL3P, RH4FBL3P. Cat. No. WS4FBL3P. Cat. No. ADPD4FBL3P.

General Use Dimmers, Cat. No. ADPDFB43P277(@). Cat. No. ADWRRR. Cat. No. ADWR600RMH. DRCL453P preset rotary dimmer, 3-way, CFL-LED, incandescent 4.5A, 700W.

Incandescent, CFL/LED, and magnetic low voltage dimmer, Cat. Nos. WWRL50, WZ3RL50, WNRL50.

Incandescent, CFL/LED, and magnetic low voltage dimmer, Cat. No. WNAL50, WZ3AL50.

Incandescent, MLV, ELV, EFL, and CFL/LED dimmer, Cat. No. ADWR703TU. Cat. No. TSD703PTU.

Electronic ballast, EFL, LED dimmers, 0-10V, Cat. No. TSD4FBL3P.

Battery Powered Switch, Dimmer and Scene Control Switches, Cat Nos. WNRL23, WNRL33, WNRL43, WNRL63, may be provided with alphanumeric prefixes and/or suffixes.


Battery Powered Switch, Dimmer and Scene Control Switches, Cat Nos. WNAL23, WNAL33, WNAL43, WNAL63, WNACB4, WZ3ACB4, may be provided with alphanumeric prefixes and/or suffixes.

(@) - Prefixes and suffixes - The Cat. Nos. may be provided with suffixes, either singly or in combination or combination of dashes and suffixes that denotes color or packaging.

*With suffix 1 to 9 incl. or A to Z incl.

**With or without suffix.

+With suffix 0 to 5 incl.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

