Certificate of Compliance

Certificate Number:

UL-US-L146159-025617-81602991-0

Report Reference:

E146159-19920618

Issue Date:

2024-09-17

Issued to:

PASS & SEYMOUR INC
50 Boyd Ave Syracuse, NY 13209
United States

This certificate confirms that representative samples of:
AXUT - Attachment Plugs, Fuseless

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

UL498 - Attachment Plugs and Receptacles, 15th Edition, latest revised 2012-03-30

Additional Information:
See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

David Piecuch
UL Mark Certification Program Owner

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2024 UL LLC. All rights reserved.
Form-ULID-019496 – ver 1.0

CERTIFICATE OF COMPLIANCE

Certificate number	UL-US-L146159-025617-81602991-0
Report reference	E146159-19920618
Date	2024-09-17

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Adapters, Model(s): 4482, 4485

Angle adapters, Model(s): EHU15AN, L15AN, L20303AN, L203045AN

Angle plugs, Model(s): 1451, 3867, 3869, 4337, 4339, 5266XAN*FS, 5266XGCMAN, 5366XAN*FS, 5366XGCMAN, 5466XAN*FS, 5466XGCMAN, 5666XAN*FS, 5666XGCMAN, 5741AN, 5745AN, 5746AN, 5751AN, 5761AN, 8302AN, D0651, D0751, L515PAN*FS, L515PGCMAN, L615PAN*FS, L615PGCMAN, L715PAN*FS, L715PGCMAN

Attachment plug caps, Model(s): 14W48, 14W49, 24W34

Attachment plugs, Model(s): 1021*FS, 1031*FS, 1051*FS, 1421*FS, 1431, 1433P, 1433P (#), 1447, 1447 (#), 1448, 1448 (#), 1449, 1449 (#), 1462, 14W33, 14W33 (#), 14W33(@), 14W47, 14W47 (#), 14W47(@), 14W48 (#), 14W48(@), 14W49 (#), 14W49(@), 1521*FS, 20415N, 2434, 2434 (#), 2434(@), 2434G(@), 2447, 2447 (#), 2447(@), 2447G(@), 2449(@), 2449G(@), 24W34 (#), 24W34(@), 24W47, 24W47 (#), 24W47(@), 24W49(@), 2608 [#], 2608(@), 2608G [#], 2608G(@), 26426, 2647(@), 2647G(@), 2648(@), 2648G(@), 2649(@), 2649G(@), 2674 [#], 2674(@), 2674G [#], 2674G(@), 2675 [#], 2675(@), 2675G [#], 2675G(@), 2676 [#], 2676(@), 2676G [#], 2676G(@), 26W08 [#], 26W08(@), 26W47, 26W47 (#), 26W47(@), 26W48(@), 26W49(@), 26W74 [#], 26W74(@), 26W75 [#], 26W75(@), 26W76 [#], 26W76(@), 2808 [#], 2808(@), 2808G [#], 2808G(@), 2809 [#], 2809(@), 2809G [#], 2809G(@), 2847(@), 2847G(@), 2848(@), 2848G(@), 2849(@), 2849G(@), 2874 [#], 2874(@), 2874G [#], 2874G(@), 2875 [#], 2875(@), 2875G [#], 2875G(@), 2876 [#], 2876(@), 2876G [#], 2876G(@), 2877 [#], 2877(@), 2877G [#], 2877G(@), 2878 [#], 2878(@), 2878G [#], 2878G(@), 28W08 [#], 28W08(@), 28W09 [#], 28W09(@), 28W47, 28W47 (#), 28W47(@), 28W48(@), 28W49(@), 28W74 [#], 28W74(@), 28W75 [#], 28W75(@), 28W76 [#], 28W76(@), 28W77 [#], 28W77(@), 28W78 [#], 28W78(@), 3331SS*FS, 3431SS*FS, 3861, 4716-SS, 4720-SSAN *FS, 515PA, 520PA, 5266-SSAN *FS, 5266X*FS, 5266XGCM, 5276, 5278SS, 5333DF*FS, 5364*FS, 5364AH, 5364BRY, 5366-SSAN*FS, 5366X*FS, 5366XGCM*FS, 5464*FS, 5466BRY, 5466SSAN*FS, 5466X*FS, 5466XGCM, 5666-SSAN *FS, 5666*FS, 5666AH, 5666BRY, 5666X*FS, 5666XGCM, 5765, 5864, 5965*FS, 5965AH, 5965BLKAH, 5965BRY, 615PA, 620PA, 7251DF*FS, 7311SS*FS, 7411SS*FS, 7486, 7595, C0511, C0521, C0611, C0621, D0221*FS, D0511*FS, D0521*FS, D0531*FS, D0551, D0611*FS, D0621*FS, D0631, D0711*FS, D0721*FS, D0731, D1821*FS, D1861*FS, IGL520P*FS, IGL630P*FS, ILG620P*FS, L1020P*FS, L1030P*FS, L1120P*FS, L1130P*FS, L1220P*FS, L1230P*FS, L1330P*FS, L1420P*FS, L1420PGCM, L1430P*FS, L1430PGCM, L1520P*FS, L1530P*FS, L1620P*FS, L1630P*FS, L1730P*FS, L1820P*FS, L1830P*FS, L1920P*FS, L1930P*FS, L2020P*FS, L2030P*FS, L2120P*FS, L2130P*FS, L2220P*FS, L2230P*FS, L2320P*FS, L2330P*FS, L3720P*FS, L3720PGCM, L3730PGCM, L515P*FS, L515PA, L515PGCM, L520P*FS, L520PA, L520PGCM, L530P*FS, L530PGCM, L615P*FS, L615PA, L615PGCM, L620P*FS, L620PA, L620PGCM, L630P*FS, L630PGCM, L715P*FS, L715PA, L715PGCM, L720P*FS, L720PA, L720PGCM, L730P*FS, L730PGCM, L820P*FS, L830P*FS, L920P*FS, L930P*FS, LD0111, LD0111*FS, LD0221, LD0221*FS, LD0511, LD0611, LD0611*FS, LD0711, LD0711*FS, ML111, ML211, ML311, PS515PCLB, PS515PCLBCCV8, PS520PCLB, PS520PCLBCCV4, PS5766X, PS5866X, PS615PCLB, PS615PCLBCCV4

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2024 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number	UL-US-L146159-025617-81602991-0
Report reference	E146159-19920618
Date	2024-09-17

Attachment plugs, Model(s): 1433G [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Attachment plugs, Model(s): 1433P [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Attachment plugs, Model(s): 1447 [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Attachment plugs, Model(s): 1447G [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Attachment plugs, Model(s): 1448 [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Attachment plugs, Model(s): 1448G [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Attachment plugs, Model(s): 1449 [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Attachment plugs, Model(s): 1449G [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Attachment plugs, Model(s): 14W33 [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Attachment plugs, Model(s): 14W47 [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Attachment plugs, Model(s): 14W48 [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Attachment plugs, Model(s): 2434 [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Attachment plugs, Model(s): 2434G [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Attachment plugs, Model(s): 2447 [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Attachment plugs, Model(s): 2447G [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Attachment plugs, Model(s): 2449 [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2024 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number	UL-US-L146159-025617-81602991-0
Report reference	E146159-19920618
Date	2024-09-17

Attachment plugs, Model(s): 2449G [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Attachment plugs, Model(s): 24W34 [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations.
Attachment plugs, Model(s): 24W47 [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations.
Attachment plugs, Model(s): 24W49 [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations.
Attachment plugs, Model(s): 2647 [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Attachment plugs, Model(s): 2647G [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Attachment plugs, Model(s): 2648 [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Attachment plugs, Model(s): 2648G [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Attachment plugs, Model(s): 2649 [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Attachment plugs, Model(s): 2649G [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Attachment plugs, Model(s): 26W47 [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Attachment plugs, Model(s): 26W48 [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Attachment plugs, Model(s): 26W49 [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Attachment plugs, Model(s): 2847 [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Attachment plugs, Model(s): 2847G [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Attachment plugs, Model(s): 2848 [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2024 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number	UL-US-L146159-025617-81602991-0
Report reference	E146159-19920618
Date	2024-09-17

Attachment plugs, Model(s): 2848G [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Attachment plugs, Model(s): 2849 [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Attachment plugs, Model(s): 2849G [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Attachment plugs, Model(s): 28W47 [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Attachment plugs, Model(s): 28W48 [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Attachment plugs, Model(s): 28W49 [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Attachment Plugs, Model(s): 14W49 [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations

Cord connectors, Model(s): 1533, 1547, 1548, 1549, 15W33, 15W47, 15W48, 15W49, 2534, 2547, 25W34, 25W47, 2708 [#], 2708G [#], 2774 [#], 2774G [#], 2775 [#], 2775G [#], 2776 [#], 2776G [#], 27W08 [#], 27W74 [#], 27W75 [#], 27W76 [#], 2908 [#], 2908G [#], 2909 [#], 2909G [#], 2974 [#], 2974G [#], 2975 [#], 2975G [#], 2976 [#], 2976G [#], 2977 [#], 2977G [#], 2978 [#], 2978G [#], 29W08 [#], 29W09 [#], 29W74 [#], 29W75 [#], 29W76 [#], 29W77 [#], 29W78 [#]

Cord connectors, Model(s): 1533 [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Cord connectors, Model(s): 1533G [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Cord connectors, Model(s): 1547 [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Cord connectors, Model(s): 1547G [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Cord connectors, Model(s): 1548 [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Cord connectors, Model(s): 1548G [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Cord connectors, Model(s): 1549 [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2024 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number	UL-US-L146159-025617-81602991-0
Report reference	E146159-19920618
Date	2024-09-17

Cord connectors, Model(s): 1549G [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Cord connectors, Model(s): 15W33 [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Cord connectors, Model(s): 15W47 [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Cord connectors, Model(s): 15W48 [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Cord connectors, Model(s): 15W49 [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Cord connectors, Model(s): 2547 [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Cord connectors, Model(s): 2547G [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Cord connectors, Model(s): 2549 [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Cord connectors, Model(s): 2549G [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Cord connectors, Model(s): 25W34 [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations.
Cord connectors, Model(s): 25W47 [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations.
Cord connectors, Model(s): 2747 [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Cord connectors, Model(s): 2747G [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Cord connectors, Model(s): 2748 [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Cord connectors, Model(s): 2748G [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Cord connectors, Model(s): 2749 [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2024 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number	UL-US-L146159-025617-81602991-0
Report reference	E146159-19920618
Date	2024-09-17

Cord connectors, Model(s): 2749G [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Cord connectors, Model(s): 27W47 [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Cord connectors, Model(s): 27W48 [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Cord connectors, Model(s): 27W49 [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Cord connectors, Model(s): 2947 [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Cord connectors, Model(s): 2947G [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Cord connectors, Model(s): 2948 [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Cord connectors, Model(s): 2948G [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Cord connectors, Model(s): 2949 [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Cord connectors, Model(s): 29W47 [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Cord connectors, Model(s): 29W48 [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations
Cord connectors, Model(s): 29W49 [#] [#] With or without suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions and commercial variations

Cord Connectors, Model(s): 1023*FS, 1033, 1053, 1533, 1533(@), 1533G(@), 1547, 1547(@), 1547G(@), 1548, 1548(@), 1548G(@), 1549, 1549(@), 1549G(@), 15W33, 15W33(@), 15W47, 15W47(@), 15W48, 15W48(@), 15W49, 15W49(@), 1LWJ6, 1LWJ7, 1LWJ8, 20414, 2547(@), 2547G(@), 2549(@), 2549G(@), 25W34, 25W34(@), 25W47, 25W47(@), 2708(@), 2708G(@), 2747(@), 2747G(@), 2748(@), 2748G(@), 2749(@), 2749G(@), 2774(@), 2774G(@), 2775(@), 2775G(@), 2776(@), 2776G(@), 27W08(@), 27W47, 27W47, 27W47(@), 27W48(@), 27W49(@), 27W74(@), 27W75(@), 27W76(@), 2908(@), 2908G(@), 2909(@), 2909G(@), 2947(@), 2947G(@), 2948(@), 2948G(@), 2949(@), 2974(@), 2974G(@), 2975(@), 2975G(@), 2976(@), 2976G(@), 2977(@), 2977G(@), 2978(@), 2978G(@), 29W08(@), 29W09(@), 29W47, 29W47, 29W47(@), 29W48(@), 29W49(@), 29W74(@), 29W75(@), 29W76(@), 29W77(@), 29W78(@), 3333SS*FS, 3433SS*FS, 515CA, 520CA, 5269X*FS, 5296, 5369*FS, 5369AH, 5369BRY, 5369X*FS, 5374, 5469BRY, 5469V*FS, 5469X*FS, 5469XGCM, 5669*FS, 5669AH, 5669BRY, 5669X*FS, 5669XGCM, 5866, 5969*FS, 5969AH, 5969BLKAH, 5969BRY, 615CA, 620CA, 7313SS*FS, 7413SS*FS,

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2024 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number	UL-US-L146159-025617-81602991-0
Report reference	E146159-19920618
Date	2024-09-17

C0513, C0523, C0613, C0623, D0113*FS, D0513, D0523*FS, D0533*FS, D0553, D0613*FS, D0623*FS, D0633, D0653, L1020C*FS, L1030C*FS, L1120C*FS, L1130C*FS, L1220C*FS, L1230C*FS, L1330-C*FS, L1420C*FS, L1420CGCM, L1430C*FS, L1430CGCM, L1520C*FS, L1530C*FS, L1620C*FS, L1630C*FS, L1730C*FS, L1820C*FS, L1830C*FS, L1920C*FS, L1930C*FS, L2020C*FS, L2030C*FS, L2120C*FS, L2130C*FS, L2220C*FS, L2230C*FS, L2320C*FS, L2330C*FS, L3720C, L3720CGCM, L515C*FS, L515CA, L515CGCM, L520C*FS, L520CA, L520CGCM, L530C*FS, L530CGCM, L615C*FS, L615CA, L615CGCM, L620C*FS, L620CA, L620CGCM, L630C*FS, L715C*FS, L715CA, L715CGCM, L720C*FS, L720CA, L720CGCM, L730C*FS, L730CGCM, L820C*FS, L830C*FS, L920C, L930C*FS, LD0113*FS, ML113, ML213, ML313, PS515CCLB, PS515CCLBCCV8, PS520CCLB, PS520CCLBCCV4, PS615CCLB, PS615CCLBCCV4

Hospital grade angle attachment plugs, Model(s): 5266XHGAN*FS, 5366XHGAN*FS, 5666XHGAN*FS

Hospital grade attachment plugs, Model(s): 0612-H, 0622-H, 5266-HGAN*FS, 5266XHG*FS, 5366-HGAN*FS, 5366XHG*FS, 5466-HGAN*FS, 5466XHG*FS, 5666-HGAN*FS, 5666XHG*FS, 8115AH, 8115BRY, 8115V*FS, C0511H, D0511H*FS, D0521H*FS, D0611H*FS, D0621H*FS
Hospital grade, cord connectors, Model(s): 5269XHG*FS, 5369XHG*FS, 5469XHG*FS, 5669XHG*FS, 8119*FS, C0613H, D0513H*FS, D0523H*FS, D0613H, D0623H

Male inlets (motor attachment plugs, equipment Inlets), Model(s): 3334SS, 3434SS, 5278S, 5378SS*FS, 5478SS*FS, 5678SS, 615, 7408SS, L0115, L0715, L1020FI, L1120FI, L1220FI, L1230FI, L1330FI, L1420FI, L1520FI, L1620FI, L1920FI, L1930FI, L2020FI, L2030FI, L2120FI, L2130FI, L2220FI, L2230FI, L2320FI, L2330FI, L520F1, L530FI, L620FI, L720FI, L820FI, L920FI, ML115, ML215, ML315

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2024 UL LLC. All rights reserved.